


大型擬石 等厚式1.861㎡タイプの場合



ガーディアンブロック擬石面500~3500型以上 製品規格図 (等厚もたれ式勾配5分の場合)



※基礎部上面には必ず差筋(用心鉄筋)をしてください。
 ※中詰めコンクリートは1段ごとに投入し、ブロック天端より20cm程度打ち残して打設終了して下さい。(ただし、最上段は天端まで)
 ※標準型(A型)1個の面積は、1.861㎡です。※10m以内に目地を設置してください。



大型擬石1.861㎡タイプ
規格諸元
(等厚式法勾配5分の場合)

ガーディアンII 擬石面 (法面勾配5分の場合) (1.861㎡)		体積 (m³)		材込コンクリート(m³)			
呼称	参考重量 (kg)	幅	高さ	長さ	1m当り		
500	基本:A	1,018	1,665	1,000	500	0.441	0.263
	縦半:B	552	832	1,000	500	0.212	0.244
	横半:C	571	1,665	500	500	0.230	0.234
	1/4:D	286	832	500	500	0.114	0.167
600	基本:A	1,020	1,665	1,000	600	0.441	0.363
	縦半:B	554	832	1,000	600	0.212	0.342
	横半:C	573	1,665	500	600	0.230	0.334
	1/4:D	287	832	500	600	0.114	0.239
650	基本:A	1,021	1,665	1,000	650	0.441	0.413
	縦半:B	555	832	1,000	650	0.212	0.393
	横半:C	574	1,665	500	650	0.230	0.383
	1/4:D	287	832	500	650	0.114	0.275
700	基本:A	1,022	1,665	1,000	700	0.441	0.463
	縦半:B	556	832	1,000	700	0.213	0.442
	横半:C	576	1,665	500	700	0.230	0.433
	1/4:D	288	832	500	700	0.114	0.202
750	基本:A	1,023	1,665	1,000	750	0.441	0.513
	縦半:B	557	832	1,000	750	0.213	0.492
	横半:C	577	1,665	500	750	0.230	0.482
	1/4:D	288	832	500	750	0.114	0.225
800	基本:A	1,024	1,665	1,000	800	0.441	0.563
	縦半:B	558	832	1,000	800	0.213	0.541
	横半:C	578	1,665	500	800	0.231	0.531
	1/4:D	289	832	500	800	0.114	0.249
900	基本:A	1,026	1,665	1,000	900	0.442	0.663
	縦半:B	560	832	1,000	900	0.213	0.641
	横半:C	580	1,665	500	900	0.231	0.631
	1/4:D	290	832	500	900	0.115	0.295
1000	基本:A	1,029	1,665	1,000	1,000	0.442	0.763
	縦半:B	562	832	1,000	1,000	0.213	0.740
	横半:C	583	1,665	500	1,000	0.231	0.730
	1/4:D	292	832	500	1,000	0.115	0.341
1100	基本:A	1,031	1,665	1,000	1,100	0.442	0.863
	縦半:B	565	832	1,000	1,100	0.214	0.839
	横半:C	585	1,665	500	1,100	0.232	0.830
	1/4:D	293	832	500	1,100	0.115	0.388
1250	基本:A	1,035	1,665	1,000	1,250	0.443	1.012
	縦半:B	568	832	1,000	1,250	0.214	0.989
	横半:C	589	1,665	500	1,250	0.232	0.978
	1/4:D	295	832	500	1,250	0.115	0.434
1300	基本:A	1,036	1,665	1,000	1,300	0.443	1.062
	縦半:B	570	832	1,000	1,300	0.214	1.038
	横半:C	590	1,665	500	1,300	0.232	1.027
	1/4:D	295	832	500	1,300	0.115	0.481
1400	基本:A	1,038	1,665	1,000	1,400	0.443	1.162
	縦半:B	572	832	1,000	1,400	0.215	1.137
	横半:C	593	1,665	500	1,400	0.232	1.054
	1/4:D	296	832	500	1,400	0.115	0.527
1500	基本:A	1,041	1,665	1,000	1,500	0.443	1.262
	縦半:B	574	832	1,000	1,500	0.215	1.193
	横半:C	595	1,665	500	1,500	0.233	1.147
	1/4:D	298	832	500	1,500	0.116	0.573
1600	基本:A	1,043	1,665	1,000	1,600	0.444	1.362
	縦半:B	577	832	1,000	1,600	0.215	1.248
	横半:C	598	1,665	500	1,600	0.233	1.239
	1/4:D	299	832	500	1,600	0.116	0.620
1700	基本:A	1,045	1,665	1,000	1,700	0.444	1.462
	縦半:B	579	832	1,000	1,700	0.216	1.341
	横半:C	600	1,665	500	1,700	0.233	1.332
	1/4:D	300	832	500	1,700	0.116	0.666
1750	基本:A	1,047	1,665	1,000	1,750	0.444	1.512
	縦半:B	581	832	1,000	1,750	0.216	1.387
	横半:C	601	1,665	500	1,750	0.234	1.379
	1/4:D	301	832	500	1,750	0.116	0.689
1800	基本:A	1,048	1,665	1,000	1,800	0.444	1.562
	縦半:B	582	832	1,000	1,800	0.216	1.434
	横半:C	603	1,665	500	1,800	0.234	1.425
	1/4:D	301	832	500	1,800	0.116	0.712

1900	基本:A	1,050	1,665	1,000	1,900	0.445	3.092	1.661
	縦半:B	584	832	1,000	1,900	0.216	1.527	1.634
	横半:C	605	1,665	500	1,900	0.234	1.518	1.623
	1/4:D	303	832	500	1,900	0.116	0.759	1.165
2000	基本:A	1,053	1,665	1,000	2,000	0.445	3.278	1.761
	縦半:B	587	832	1,000	2,000	0.216	1.619	1.732
	横半:C	608	1,665	500	2,000	0.234	1.610	1.721
	1/4:D	304	832	500	2,000	0.116	0.805	1.236
2100	基本:A	1,055	1,665	1,000	2,100	0.445	3.464	1.861
	縦半:B	589	832	1,000	2,100	0.217	1.712	1.832
	横半:C	610	1,665	500	2,100	0.235	1.703	1.821
	1/4:D	305	832	500	2,100	0.117	0.852	1.308
2200	基本:A	1,058	1,665	1,000	2,200	0.446	3.650	1.961
	縦半:B	592	832	1,000	2,200	0.217	1.805	1.931
	横半:C	613	1,665	500	2,200	0.235	1.796	1.920
	1/4:D	306	832	500	2,200	0.117	0.898	1.378
2250	基本:A	1,059	1,665	1,000	2,250	0.446	3.743	2.011
	縦半:B	593	832	1,000	2,250	0.217	1.851	1.981
	横半:C	614	1,665	500	2,250	0.235	1.842	1.969
	1/4:D	307	832	500	2,250	0.117	0.921	1.414
2300	基本:A	1,060	1,665	1,000	2,300	0.446	3.836	2.061
	縦半:B	594	832	1,000	2,300	0.217	1.898	2.031
	横半:C	615	1,665	500	2,300	0.235	1.889	2.019
	1/4:D	308	832	500	2,300	0.117	0.944	1.449
2400	基本:A	1,063	1,665	1,000	2,400	0.446	4.021	2.161
	縦半:B	597	832	1,000	2,400	0.218	1.990	2.129
	横半:C	618	1,665	500	2,400	0.236	1.981	2.118
	1/4:D	309	832	500	2,400	0.117	1.021	1.521
2500	基本:A	1,065	1,665	1,000	2,500	0.447	4.207	2.261
	縦半:B	599	832	1,000	2,500	0.218	2.083	2.229
	横半:C	620	1,665	500	2,500	0.236	2.074	2.217
	1/4:D	310	832	500	2,500	0.117	1.037	1.592
2600	基本:A	1,068	1,665	1,000	2,600	0.447	4.393	2.361
	縦半:B	602	832	1,000	2,600	0.218	2.176	2.328
	横半:C	623	1,665	500	2,600	0.236	2.167	2.317
	1/4:D	311	832	500	2,600	0.117	1.083	1.662
2700	基本:A	1,070	1,665	1,000	2,700	0.447	4.579	2.461
	縦半:B	604	832	1,000	2,700	0.219	2.269	2.428
	横半:C	625	1,665	500	2,700	0.237	2.260	2.416
	1/4:D	313	832	500	2,700	0.117	1.130	1.735
2800	基本:A	1,073	1,665	1,000	2,800	0.448	4.765	2.560
	縦半:B	607	832	1,000	2,800	0.219	2.361	2.526
	横半:C	628	1,665	500	2,800	0.237	2.352	2.514
	1/4:D	314	832	500	2,800	0.118	1.176	1.805
2900	基本:A	1,075	1,665	1,000	2,900	0.448	4.951	2.660
	縦半:B	609	832	1,000	2,900	0.219	2.454	2.626
	横半:C	630	1,665	500	2,900	0.237	2.445	2.614
	1/4:D	315	832	500	2,900	0.118	1.223	1.877
3000	基本:A	1,078	1,665	1,000	3,000	0.448	5.136	2.760
	縦半:B	612	832	1,000	3,000	0.220	2.547	2.725
	横半:C	633	1,665	500	3,000	0.238	2.538	2.713
	1/4:D	316	832	500	3,000	0.118	1.269	1.948
3100	基本:A	1,080	1,665	1,000	3,100	0.448	5.322	2.860
	縦半:B	614	832	1,000	3,100	0.220	2.640	2.825
	横半:C	635	1,665	500	3,100	0.238	2.631	2.813
	1/4:D	318	832	500	3,100	0.118	1.315	2.019
3200	基本:A	1,083	1,665	1,000	3,200	0.449	5.508	2.960
	縦半:B	617	832	1,000	3,200	0.220	2.732	2.923
	横半:C	638	1,665	500	3,200	0.238	2.723	2.911
	1/4:D	319	832	500	3,200	0.118	1.362	2.091
3300	基本:A	1,085	1,665	1,000	3,300	0.449	5.694	3.060
	縦半:B	619	832	1,000	3,300	0.221	2.825	3.023
	横半:C	640	1,665	500	3,300	0.239	2.816	3.010
	1/4:D	320	832	500	3,300	0.118	1.408	2.161
3400	基本:A	1,088	1,665	1,000	3,400	0.449	5.880	3.160
	縦半:B	622	832	1,000	3,400	0.221		

◆ 製品タイプ・諸元 ガーディアン擬石面



DHクッパーによる点吊り(当社より貸出)



(1.861m²)

(1.861m²)

ガーディアン擬石面(法面勾配5分の場合)								
呼 称	参考重量 (kg)	寸法(mm)			体積(m ³)	胴込コンクリート(m)		
		幅	高	控長		1個当り	1㎡当り	
500	基本:A	1,029	1,665	1,000	500	0.445	0.486	0.261
	縦半:B	508	832	1,000	500	0.219	0.247	0.266
	横半:C	544	1,665	500	500	0.235	0.231	0.248
	1/4 :D	271	832	500	500	0.117	0.116	0.249
600	基本:A	1,031	1,665	1,000	600	0.445	0.672	0.361
	縦半:B	510	832	1,000	600	0.219	0.34	0.366
	横半:C	546	1,665	500	600	0.235	0.324	0.348
	1/4 :D	272	832	500	600	0.117	0.163	0.351
650	基本:A	1,032	1,665	1,000	650	0.445	0.765	0.411
	縦半:B	511	832	1,000	650	0.219	0.386	0.415
	横半:C	547	1,665	500	650	0.235	0.37	0.397
	1/4 :D	273	832	500	650	0.117	0.186	0.4
700	基本:A	1,033	1,665	1,000	700	0.446	0.857	0.461
	縦半:B	512	832	1,000	700	0.219	0.433	0.466
	横半:C	548	1,665	500	700	0.235	0.416	0.447
	1/4 :D	273	832	500	700	0.117	0.209	0.449
750	基本:A	1,034	1,665	1,000	750	0.446	0.95	0.51
	縦半:B	513	832	1,000	750	0.219	0.479	0.515
	横半:C	550	1,665	500	750	0.235	0.463	0.497
	1/4 :D	274	832	500	750	0.117	0.232	0.499
800	基本:A	1,035	1,665	1,000	800	0.446	1.043	0.56
	縦半:B	514	832	1,000	800	0.219	0.526	0.566
	横半:C	551	1,665	500	800	0.235	0.509	0.547
	1/4 :D	274	832	500	800	0.117	0.255	0.548
900	基本:A	1,037	1,665	1,000	900	0.446	1.229	0.66
	縦半:B	516	832	1,000	900	0.22	0.618	0.665
	横半:C	553	1,665	500	900	0.236	0.602	0.647
	1/4 :D	276	832	500	900	0.117	0.302	0.649
1000	基本:A	1,040	1,665	1,000	1,000	0.446	1.415	0.76
	縦半:B	519	832	1,000	1,000	0.22	0.711	0.765
	横半:C	556	1,665	500	1,000	0.236	0.695	0.747
	1/4 :D	277	832	500	1,000	0.118	0.348	0.748
1100	基本:A	1,042	1,665	1,000	1,100	0.447	1.601	0.86
	縦半:B	521	832	1,000	1,100	0.22	0.804	0.865
	横半:C	558	1,665	500	1,100	0.236	0.787	0.845
	1/4 :D	278	832	500	1,100	0.118	0.395	0.849
1250	基本:A	1,045	1,665	1,000	1,250	0.447	1.88	1.01
	縦半:B	524	832	1,000	1,250	0.221	0.943	1.014
	横半:C	562	1,665	500	1,250	0.237	0.927	0.996
	1/4 :D	280	832	500	1,250	0.118	0.464	0.998
1300	基本:A	1,047	1,665	1,000	1,300	0.447	1.973	1.06
	縦半:B	526	832	1,000	1,300	0.221	0.99	1.065
	横半:C	563	1,665	500	1,300	0.237	0.973	1.045
	1/4 :D	281	832	500	1,300	0.118	0.487	1.047
1400	基本:A	1,049	1,665	1,000	1,400	0.448	2.158	1.16
	縦半:B	528	832	1,000	1,400	0.221	1.083	1.165
	横半:C	566	1,665	500	1,400	0.237	1.066	1.145
	1/4 :D	282	832	500	1,400	0.118	0.534	1.148
1500	基本:A	1,052	1,665	1,000	1,500	0.448	2.344	1.26
	縦半:B	531	832	1,000	1,500	0.222	1.175	1.263
	横半:C	568	1,665	500	1,500	0.238	1.159	1.245
	1/4 :D	283	832	500	1,500	0.118	0.58	1.247
1600	基本:A	1,054	1,665	1,000	1,600	0.448	2.53	1.359
	縦半:B	533	832	1,000	1,600	0.222	1.268	1.363
	横半:C	571	1,665	500	1,600	0.238	1.251	1.344
	1/4 :D	284	832	500	1,600	0.118	0.627	1.348
1700	基本:A	1,056	1,665	1,000	1,700	0.449	2.716	1.459
	縦半:B	535	832	1,000	1,700	0.222	1.361	1.463
	横半:C	573	1,665	500	1,700	0.238	1.344	1.444
	1/4 :D	286	832	500	1,700	0.119	0.673	1.447
1750	基本:A	1,058	1,665	1,000	1,750	0.449	2.809	1.509
	縦半:B	537	832	1,000	1,750	0.222	1.407	1.513
	横半:C	574	1,665	500	1,750	0.238	1.39	1.493
	1/4 :D	286	832	500	1,750	0.119	0.696	1.497
1800	基本:A	1,059	1,665	1,000	1,800	0.449	2.902	1.559
	縦半:B	538	832	1,000	1,800	0.222	1.454	1.563
	横半:C	576	1,665	500	1,800	0.239	1.437	1.544
	1/4 :D	287	832	500	1,800	0.119	0.719	1.546
1900	基本:A	1,061	1,665	1,000	1,900	0.449	3.088	1.659
	縦半:B	540	832	1,000	1,900	0.223	1.547	1.663
	横半:C	578	1,665	500	1,900	0.239	1.53	1.643
	1/4 :D	288	832	500	1,900	0.119	0.766	1.647

(1.861m²)

ガーディアン擬石面(法面勾配5分の場合)								
呼 称	参考重量 (kg)	寸法(mm)			体積(m ³)	胴込コンクリート(m)		
		幅	高	控長		1個当り	1㎡当り	
2000	基本:A	1,064	1,665	1,000	2,000	0.45	3.273	1.759
	縦半:B	543	832	1,000	2,000	0.223	1.64	1.763
	横半:C	581	1,665	500	2,000	0.239	1.622	1.742
	1/4 :D	289	832	500	2,100	0.119	0.812	1.746
2100	基本:A	1,066	1,665	1,000	2,100	0.45	3.459	1.859
	縦半:B	545	832	1,000	2,100	0.223	1.732	1.862
	横半:C	583	1,665	500	2,100	0.24	1.715	1.842
	1/4 :D	291	832	500	2,100	0.119	0.859	1.847
2200	基本:A	1,069	1,665	1,000	2,200	0.45	3.645	1.959
	縦半:B	548	832	1,000	2,200	0.224	1.825	1.962
	横半:C	586	1,665	500	2,200	0.24	1.808	1.942
	1/4 :D	292	832	500	2,200	0.119	0.905	1.946
2250	基本:A	1,070	1,665	1,000	2,250	0.45	3.738	2.009
	縦半:B	549	832	1,000	2,250	0.224	1.872	2.013
	横半:C	587	1,665	500	2,250	0.24	1.854	1.991
	1/4 :D	292	832	500	2,250	0.12	0.928	1.996
2300	基本:A	1,071	1,665	1,000	2,300	0.45	3.831	2.059
	縦半:B	550	832	1,000	2,300	0.224	1.911	2.062
	横半:C	588	1,665	500	2,300	0.24	1.901	2.042
	1/4 :D	293	832	500	2,300	0.12	0.951	2.045
2400	基本:A	1,074	1,665	1,000	2,400	0.451	4.017	2.159
	縦半:B	553	832	1,000	2,400	0.224	2.011	2.162
	横半:C	591	1,665	500	2,400	0.24	1.993	2.141
	1/4 :D	294	832	500	2,400	0.12	0.998	2.146
2500	基本:A	1,076	1,665	1,000	2,500	0.451	4.203	2.258
	縦半:B	555	832	1,000	2,500	0.225	2.104	2.262
	横半:C	593	1,665	500	2,500	0.241	2.086	2.241
	1/4 :D	296	832	500	2,500	0.12	1.044	2.245
2600	基本:A	1,079	1,665	1,000	2,600	0.451	4.388	2.358
	縦半:B	558	832	1,000	2,600	0.225	2.196	2.361
	横半:C	596	1,665	500	2,600	0.241	2.179	2.34
	1/4 :D	297	832	500	2,600	0.12	1.091	2.346
2700	基本:A	1,081	1,665	1,000	2,700	0.452	4.574	2.458
	縦半:B	560	832	1,000	2,700	0.225	2.289	2.461
	横半:C	598	1,665	500	2,700	0.241	2.272	2.44
	1/4 :D	298	832	500	2,700	0.12	1.137	2.445
2800	基本:A	1,084	1,665	1,000	2,800	0.452	4.76	2.558
	縦半:B	563	832	1,000	2,800	0.226	2.382	2.561
	横半:C	601	1,665	500	2,800	0.242	2.364	2.539
	1/4 :D	299	832	500	2,800	0.12	1.183	2.544
2900	基本:A	1,086	1,665	1,000	2,900	0.452	4.946	2.658
	縦半:B	565	832	1,000	2,900	0.226	2.475	2.661
	横半:C	603	1,665	500	2,900	0.242	2.457	2.639
	1/4 :D	301	832	500	2,900	0.121	1.23	2.645
3000	基本:A	1,089	1,665	1,000	3,000	0.453	5.132	2.758
	縦半:B	568	832	1,000	3,000	0.226	2.568	2.761
	横半:C	606	1,665	500	3,000	0.242	2.55	2.739
	1/4 :D	302	832	500	3,000	0.121	1.276	2.744
3100	基本:A	1,091	1,665	1,000	3,100	0.453	5.318	2.858
	縦半:B	570	832	1,000	3,100	0.227	2.66	2.86
	横半:C	608	1,665	500	3,100	0.243	2.643	2.839
	1/4 :D	303	832	500	3,100	0.121	1.323	2.845
3200	基本:A	1,094	1,665	1,000	3,200	0.453	5.503	2.957
	縦半:B	573	832	1,000	3,200	0.227	2.753	2.96
	横半:C	611	1,665	500	3,200	0.243	2.735	2.938
	1/4 :D	304	832	500	3,200	0.121	1.369	2.944
3300	基本:A	1,096	1,665	1,000	3,300	0.454	5.689	3.057
	縦半:B	575	832	1,000	3,300	0.227	2.846	3.06
	横半:C	613	1,665	500	3,300	0.243	2.828	3.038
	1/4 :D	306	832	500	3,300	0.121	1.416	3.045
3400	基本:A	1,099	1,665	1,000	3,400	0.454	5.875	3.157
	縦半:B	578	832	1,000	3,400	0.228	2.939	3.16
	横半:C	616	1,665	500	3,400	0.244	2.921	3.137
	1/4 :D	307	832	500	3,400	0.121	1.462	3.144
3500	基本:A	1,101	1,665	1,000	3,500	0.454	6.061	3.257
	縦半:B	580	832	1,000	3,500	0.228	3.032	3.26
	横半:C	618	1,665	500	3,500	0.244	3.014	3.237
	1/4 :D	308	832	500	3,500	0.122	1.508	3.243

◆ 製品タイプ・諸元 ガーディアン自然石張



(1.861m²)

(1.861m²)

ガーディアン石張り(法面勾配5分の場合)							
呼称	参考重量(設計) (kg)	寸法(mm)			体積(m ³)	網込コンクリート(m ³)	
		幅	高	控長		1個当り	1m ² 当り
550	基本:A	1,157	1,665	1,000	0.501	0.523	0.281
	縦半:B	568	832	1,000	0.245	0.267	0.287
	横半:C	604	1,665	500	0.261	0.251	0.27
	1/4:D	301	832	500	0.13	0.126	0.271
600	基本:A	1,158	1,665	1,000	0.501	0.616	0.331
	縦半:B	569	832	1,000	0.245	0.314	0.338
	横半:C	605	1,665	500	0.261	0.298	0.32
	1/4:D	302	832	500	0.13	0.149	0.32
650	基本:A	1,159	1,665	1,000	0.501	0.709	0.381
	縦半:B	570	832	1,000	0.245	0.36	0.387
	横半:C	607	1,665	500	0.261	0.344	0.369
	1/4:D	302	832	500	0.13	0.173	0.372
700	基本:A	1,160	1,665	1,000	0.501	0.802	0.431
	縦半:B	571	832	1,000	0.245	0.407	0.438
	横半:C	608	1,665	500	0.261	0.39	0.419
	1/4:D	303	832	500	0.13	0.196	0.422
750	基本:A	1,161	1,665	1,000	0.501	0.895	0.481
	縦半:B	572	832	1,000	0.245	0.453	0.487
	横半:C	609	1,665	500	0.261	0.437	0.469
	1/4:D	303	832	500	0.13	0.219	0.471
800	基本:A	1,162	1,665	1,000	0.501	0.988	0.531
	縦半:B	573	832	1,000	0.245	0.5	0.538
	横半:C	610	1,665	500	0.262	0.483	0.519
	1/4:D	304	832	500	0.13	0.242	0.52
900	基本:A	1,165	1,665	1,000	0.502	1.174	0.631
	縦半:B	576	832	1,000	0.246	0.592	0.637
	横半:C	612	1,665	500	0.262	0.576	0.619
	1/4:D	305	832	500	0.13	0.289	0.622
1000	基本:A	1,167	1,665	1,000	0.502	1.36	0.731
	縦半:B	578	832	1,000	0.246	0.685	0.737
	横半:C	615	1,665	500	0.262	0.669	0.719
	1/4:D	306	832	500	0.131	0.335	0.72
1100	基本:A	1,169	1,665	1,000	0.502	1.545	0.83
	縦半:B	580	832	1,000	0.246	0.778	0.837
	横半:C	617	1,665	500	0.262	0.761	0.817
	1/4:D	308	832	500	0.131	0.382	0.822
1250	基本:A	1,173	1,665	1,000	0.503	1.824	0.98
	縦半:B	584	832	1,000	0.247	0.917	0.986
	横半:C	621	1,665	500	0.263	0.901	0.968
	1/4:D	310	832	500	0.131	0.451	0.97
1300	基本:A	1,174	1,665	1,000	0.503	1.917	1.03
	縦半:B	585	832	1,000	0.247	0.964	1.037
	横半:C	622	1,665	500	0.263	0.947	1.017
	1/4:D	310	832	500	0.131	0.474	1.019
1400	基本:A	1,176	1,665	1,000	0.503	2.103	1.13
	縦半:B	587	832	1,000	0.247	1.057	1.137
	横半:C	625	1,665	500	0.263	1.04	1.117
	1/4:D	311	832	500	0.131	0.521	1.12
1500	基本:A	1,179	1,665	1,000	0.503	2.289	1.23
	縦半:B	590	832	1,000	0.248	1.149	1.235
	横半:C	627	1,665	500	0.264	1.132	1.216
	1/4:D	313	832	500	0.131	0.567	1.219
1600	基本:A	1,181	1,665	1,000	0.504	2.475	1.33
	縦半:B	592	832	1,000	0.248	1.242	1.335
	横半:C	630	1,665	500	0.264	1.225	1.316
	1/4:D	314	832	500	0.132	0.614	1.32
1700	基本:A	1,184	1,665	1,000	0.504	2.66	1.429
	縦半:B	595	832	1,000	0.248	1.335	1.435
	横半:C	632	1,665	500	0.264	1.318	1.416
	1/4:D	315	832	500	0.132	0.66	1.419
1750	基本:A	1,185	1,665	1,000	0.504	2.753	1.479
	縦半:B	596	832	1,000	0.248	1.381	1.485
	横半:C	634	1,665	500	0.265	1.364	1.465
	1/4:D	316	832	500	0.132	0.683	1.469
1800	基本:A	1,186	1,665	1,000	0.504	2.846	1.529
	縦半:B	597	832	1,000	0.249	1.428	1.535
	横半:C	635	1,665	500	0.265	1.411	1.516
	1/4:D	316	832	500	0.132	0.706	1.518
1900	基本:A	1,189	1,665	1,000	0.505	3.032	1.629
	縦半:B	600	832	1,000	0.249	1.521	1.635
	横半:C	637	1,665	500	0.265	1.503	1.614
	1/4:D	318	832	500	0.132	0.753	1.619

ガーディアン石張り(法面勾配5分の場合)							
呼称	参考重量(設計) (kg)	寸法(mm)			体積(m ³)	網込コンクリート(m ³)	
		幅	高	控長		1個当り	1m ² 当り
2000	基本:A	1,191	1,665	1,000	0.505	3.218	1.729
	縦半:B	602	832	1,000	0.249	1.614	1.735
	横半:C	640	1,665	500	0.265	1.596	1.714
	1/4:D	319	832	500	0.132	0.799	1.718
2100	基本:A	1,194	1,665	1,000	0.505	3.404	1.829
	縦半:B	605	832	1,000	0.249	1.706	1.834
	横半:C	642	1,665	500	0.266	1.689	1.814
	1/4:D	320	832	500	0.132	0.846	1.819
2200	基本:A	1,196	1,665	1,000	0.506	3.59	1.929
	縦半:B	607	832	1,000	0.25	1.799	1.934
	横半:C	645	1,665	500	0.266	1.782	1.914
	1/4:D	321	832	500	0.132	0.892	1.918
2250	基本:A	1,197	1,665	1,000	0.506	3.683	1.979
	縦半:B	608	832	1,000	0.25	1.846	1.985
	横半:C	646	1,665	500	0.266	1.828	1.963
	1/4:D	322	832	500	0.133	0.915	1.968
2300	基本:A	1,198	1,665	1,000	0.506	3.775	2.028
	縦半:B	609	832	1,000	0.25	1.892	2.034
	横半:C	647	1,665	500	0.266	1.874	2.013
	1/4:D	323	832	500	0.133	0.938	2.017
2400	基本:A	1,201	1,665	1,000	0.506	3.961	2.128
	縦半:B	612	832	1,000	0.25	1.985	2.134
	横半:C	650	1,665	500	0.267	1.967	2.113
	1/4:D	324	832	500	0.133	0.985	2.118
2500	基本:A	1,203	1,665	1,000	0.507	4.147	2.228
	縦半:B	614	832	1,000	0.251	2.078	2.234
	横半:C	652	1,665	500	0.267	2.06	2.213
	1/4:D	325	832	500	0.133	1.031	2.217
2600	基本:A	1,206	1,665	1,000	0.507	4.333	2.328
	縦半:B	617	832	1,000	0.251	2.17	2.333
	横半:C	655	1,665	500	0.267	2.153	2.313
	1/4:D	326	832	500	0.133	1.078	2.318
2700	基本:A	1,208	1,665	1,000	0.507	4.519	2.428
	縦半:B	619	832	1,000	0.251	2.263	2.433
	横半:C	657	1,665	500	0.268	2.245	2.411
	1/4:D	328	832	500	0.133	1.124	2.417
2800	基本:A	1,211	1,665	1,000	0.508	4.705	2.528
	縦半:B	622	832	1,000	0.252	2.356	2.533
	横半:C	660	1,665	500	0.268	2.338	2.511
	1/4:D	329	832	500	0.133	1.17	2.516
2900	基本:A	1,213	1,665	1,000	0.508	4.89	2.628
	縦半:B	624	832	1,000	0.252	2.449	2.633
	横半:C	662	1,665	500	0.268	2.431	2.611
	1/4:D	330	832	500	0.134	1.217	2.617
3000	基本:A	1,216	1,665	1,000	0.508	5.076	2.728
	縦半:B	627	832	1,000	0.252	2.542	2.733
	横半:C	665	1,665	500	0.269	2.524	2.711
	1/4:D	331	832	500	0.134	1.263	2.716
3100	基本:A	1,218	1,665	1,000	0.509	5.262	2.828
	縦半:B	629	832	1,000	0.253	2.634	2.832
	横半:C	667	1,665	500	0.269	2.616	2.81
	1/4:D	333	832	500	0.134	1.31	2.817
3200	基本:A	1,221	1,665	1,000	0.509	5.448	2.927
	縦半:B	632	832	1,000	0.253	2.727	2.932
	横半:C	670	1,665	500	0.269	2.709	2.91
	1/4:D	334	832	500	0.134	1.356	2.916
3300	基本:A	1,223	1,665	1,000	0.509	5.634	3.027
	縦半:B	634	832	1,000	0.253	2.82	3.032
	横半:C	672	1,665	500	0.269	2.802	3.01
	1/4:D	335	832	500	0.134	1.402	3.015
3400	基本:A	1,226	1,665	1,000	0.509	5.82	3.127
	縦半:B	637	832	1,000	0.254	2.913	3.132
	横半:C	675	1,665	500	0.27	2.895	3.11
	1/4:D	336	832	500	0.134	1.449	3.116
3500	基本:A	1,228	1,665	1,000	0.51	6.005	3.227
	縦半:B	639	832	1,000	0.254	3.006	3.232
	横半:C	677	1,665	500	0.27	2.988	3.209
	1/4:D	338	832	500	0.135	1.495	3.215