







名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	1種 H=500	図 番	160226-01-0	区 分	製品図			WAKOH






材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D 6	8	1.070	0.249	2.131	U
" S2	"	7	1.840	"	3.207	—
" S3	"	8	0.130	"	0.259	/
合計	5.597kg					




名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	1種 H=600	図 番	160226-03-0	区 分	製品図			WAKOH






材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D 6	8	1.170	0.249	2.331	U
" S2	"	7	1.840	"	3.207	—
" S3	"	8	0.130	"	0.259	/
合計	5.797kg					




名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	1種 H=700	図 番	160226-05-0	区 分	製品図			





材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D 6	8	1.320	0.249	2.630	U
" S2	"	7	1.840	"	3.207	—
" S3	"	8	0.130	"	0.259	/
合計	6.096kg					







名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	1種 H=800	図 番	160226-07-0	区 分	製品図			





材料表

名称	径	本数	長さ	m当たり重量	重量	摘要
鉄筋 S1	D10	3	0.740	0.560	1.243	＼
" S2	"	3	0.710	"	1.193	—
" S3	D 6	9	1.445	0.249	3.238	L
" S4	"	10	1.840	"	4.582	—
" S5	"	3	0.035	"	0.026	—
" S6	"	6	0.060	"	0.090	
" S7	"	3	0.260	"	0.194	／
合計				10.566kg		

名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	 和光産業株式会社
規 格	1種 H=800	図 番	160226-08-0	区 分	配筋図			







名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	1種 H=900	図 番	160226-09-0	区 分	製品図			WAKOH





材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D10	3	0.655	0.560	1.100	/
" S2	"	3	0.755	"	1.268	—
" S3	D 6	9	1.595	0.249	3.574	□
" S4	"	10	1.840	"	4.582	—
" S5	"	3	0.045	"	0.034	—
" S6	"	6	0.060	"	0.090	—
" S7	"	3	0.260	"	0.194	/
合計				10.842kg		







名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	1種 H=1000	図 番	160226-11-0	区 分	製品図			





材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D13	3	0.590	0.560	0.991	/
" S2	"	3	0.805	"	1.352	—
" S3	D 6	9	1.745	0.249	3.911	□
" S4	"	10	1.840	"	4.582	—
" S5	"	3	0.045	"	0.034	—
" S6	"	6	0.060	"	0.090	—
" S7	"	3	0.260	"	0.194	/
合計				11.153kg		





名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	1種 H=1100	図 番	160226-13-0	区 分	製品図			WAKOH





材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D13	3	0.920	0.995	2.746	/
" S2	"	3	0.905	"	2.701	—
" S3	D 6	9	1.945	0.249	4.359	□
" S4	"	11	1.840	"	5.040	—
" S5	"	3	0.050	"	0.037	—
" S6	"	6	0.090	"	0.134	—
" S7	"	3	0.375	"	0.280	/
合計				15.298kg		







名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	1種 H=1200	図 番	160226-15-0	区 分	製品図			WAKOH







材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D13	3	0.865	0.995	2.582	/
" S2	"	3	0.955	"	2.851	—
" S3	D 6	9	2.095	0.249	4.695	□
" S4	"	11	1.840	"	5.040	—
" S5	"	3	0.070	"	0.052	—
" S6	"	6	0.090	"	0.134	—
" S7	"	3	0.375	"	0.280	/
合計				15.634kg		







名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	1種 H=1300	図 番	160226-17-0	区 分	製品図			






材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D10	6	1.245	0.560	4.183	/
" S2	"	6	1.010	"	3.394	—
" S3	D 6	12	2.245	0.249	6.708	□
" S4	"	13	1.840	"	5.956	—
" S5	"	6	0.075	"	0.112	—
" S6	"	12	0.110	"	0.329	—
" S7	"	33	0.100	"	0.822	—
" S8	"	6	0.420	"	0.627	/
合計					22.131kg	







名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	1種 H=1400	図 番	160226-19-0	区 分	製品図			WAKOH






材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D10	6	1.145	0.560	3.847	/
" S2	"	6	1.060	"	3.562	—
" S3	D 6	12	2.395	0.249	7.156	□
" S4	"	14	1.840	"	6.414	—
" S5	"	6	0.075	"	0.112	—
" S6	"	12	0.110	"	0.329	
" S7	"	33	0.100	"	0.822	
" S8	"	6	0.420	"	0.627	/
合計					22.869kg	






名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	1種 H=1500	図 番	160226-21-0	区 分	製品図			WAKOH






材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D13	6	1.225	0.995	7.313	/
" S2	"	6	1.110	"	6.627	—
" S3	D 6	12	2.545	0.249	7.604	L
" S4	"	16	1.840	"	7.331	—
" S5	"	6	0.075	"	0.112	—
" S6	"	12	0.110	"	0.329	
" S7	"	27	0.100	"	0.672	
" S8	"	6	0.420	"	0.627	/
合計				30.615kg		




名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	1種 H=1600	図 番	160226-23-0	区 分	製品図			






材料表

名称	径	本数	長さ	m当たり重量	重量	摘要
鉄筋 S1	D13	6	1. 545	0.995	9. 224	/
" S2	"	6	1. 210	0.995	7. 224	—
" S3	D 6	12	2. 745	0.249	8. 202	L
" S4	"	16	1. 840	0.249	7. 331	—
" S5	"	6	0. 090	0.249	0. 134	—
" S6	"	12	0. 140	0.249	0. 418	
" S7	"	39	0. 110	0.249	1. 068	
" S8	"	6	0. 535	0.249	0. 799	/
合計				34. 400kg		







名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	1種 H=1700	図 番	160226-25-0	区 分	製品図			






材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D13	6	1.645	0.995	9.821	/
" S2	"	6	1.260	"	7.522	—
" S3	D 6	12	2.895	0.249	8.650	└
" S4	"	17	1.840	"	7.789	—
" S5	"	6	0.090	"	0.134	—
" S6	"	12	0.140	"	0.418	
" S7	"	39	0.110	"	1.068	
" S8	"	6	0.535	"	0.799	/
合計				36.202kg		




名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	1種 H=1800	図 番	160226-27-0	区 分	製品図			






材料表

名称	径	本数	長さ	m当たり重量	重量	摘要
鉄筋 S1	D13	6	1.555	0.995	9.283	/
" S2	"	6	1.310	"	7.821	—
" S3	D 6	12	3.045	0.249	9.098	L
" S4	"	20	1.840	"	9.163	—
" S5	"	6	0.085	"	0.127	—
" S6	"	12	0.140	"	0.418	
" S7	"	33	0.110	"	0.904	
" S8	"	6	0.535	"	0.799	/
合計				37.614kg		




名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	1種 H=1900	図 番	160226-29-0	区 分	製品図			WAKOH





材料表

名称	径	本数	長さ	m当たり重量	重量	摘要
鉄筋 S1	D13	6	1.720	0.995	10.268	/
" S2	"	6	1.360	"	8.119	—
" S3	D 6	12	3.195	0.249	9.547	L
" S4	"	18	1.840	"	8.247	—
" S5	"	6	0.100	"	0.149	—
" S6	"	12	0.170	"	0.508	
" S7	"	39	0.110	"	1.068	
" S8	"	6	0.620	"	0.926	/
合計				38.833kg		








名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	1種 H=2000	図 番	160226-31-0	区 分	製品図			






材料表

名称	径	本数	長さ	m当たり重量	重量	摘要
鉄筋 S1	D13	6	1.770	0.995	10.567	/
" S2	"	6	1.410	"	8.418	—
" S3	D 6	12	3.345	0.249	9.995	L
" S4	"	18	1.840	"	8.247	—
" S5	"	6	0.095	"	0.142	—
" S6	"	12	0.170	"	0.508	
" S7	"	39	0.110	"	1.068	
" S8	"	6	0.620	"	0.926	/
合計				39.871kg		





名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	1種 H=2100	図 番	160226-33-0	区 分	製品図			




材料表

名称	径	本数	長さ	m当たり重量	重量	摘要
鉄筋 S1	D13	6	2.070	0.995	12.358	/
" S2	"	6	1.560	"	9.313	—
" S3	D 6	12	3.595	0.249	10.742	L
" S4	"	24	1.840	"	10.996	—
" S5	"	6	0.145	"	0.217	—
" S6	"	12	0.230	"	0.687	
" S7	"	51	0.120	"	1.524	
" S8	"	6	0.825	"	1.233	/
合計				47.069kg		




名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20
規 格	1種 H=2100	図 番	160226-34-0	区 分	配筋図		



和光産業株式会社




名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	1種 H=2200	図 番	160226-35-0	区 分	製品図			






材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D13	6	2.170	0.995	12.955	/
" S2	"	6	1.560	"	9.313	-
" S3	D 6	12	3.695	0.249	11.041	L
" S4	"	25	1.840	"	11.454	-
" S5	"	6	0.150	"	0.224	-
" S6	"	12	0.230	"	0.687	
" S7	"	51	0.120	"	1.524	
" S8	"	6	0.825	"	1.233	/
合計				48.431kg		





名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	 和光産業株式会社
規 格	1種 H=2300	図 番	160226-37-0		区 分	製品図		






材料表

名称	径	本数	長さ	m当たり重量	重量	摘要
鉄筋 S1	D16	6	2.255	1.560	21.107	/
" S2	"	6	1.610	"	15.070	—
" S3	D 6	12	3.845	0.249	11.489	L
" S4	"	26	1.840	"	11.912	—
" S5	"	6	0.145	"	0.217	—
" S6	"	12	0.230	"	0.687	
" S7	"	51	0.120	"	1.524	
" S8	"	6	0.825	"	1.233	/
合計				63.238kg		






名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	 和光産業株式会社
規 格	1種 H=2400	図 番	160226-39-0		区 分	製品図		






材料表

名称	径	本数	長さ	m当たり重量	重量	摘要
鉄筋 S1	D16	6	2.185	1.560	20.452	/
" S2	"	6	1.660	"	15.538	—
" S3	D 6	12	3.995	0.249	11.937	L
" S4	"	26	1.840	"	11.912	—
" S5	"	6	0.135	"	0.202	—
" S6	"	12	0.230	"	0.687	
" S7	"	51	0.120	"	1.524	
" S8	"	6	0.825	"	1.233	/
合計				63.485kg		

名 称	CHウォール	縮 尺	1 / 30	図面	A3	作成日	12 / 12 / 20	和光産業株式会社 WAKOH
規 格	1種 H=2400	図 番	160226-40-0	区 分	配筋図			







名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	1種 H=2500	図 番	160226-41-0	区 分	製品図			





材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D16	6	2.185	1.560	20.452	/
" S2	"	6	1.710	"	16.006	—
" S3	D 6	12	4.145	0.249	12.385	L
" S4	"	28	1.840	"	12.828	—
" S5	"	6	0.135	"	0.202	—
" S6	"	12	0.230	"	0.687	
" S7	"	51	0.120	"	1.524	
" S8	"	6	0.825	"	1.233	/
合計				65.317kg		







名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	1種 H=2600	図 番	160226-43-0	区 分	製品図			





材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D16	6	2.450	1.560	22.932	/
" S2	"	6	1.760	"	16.474	—
" S3	D10	12	4.295	0.560	28.862	L
" S4	"	23	1.830	"	23.570	—
" S5	"	6	0.195	"	0.655	—
" S6	"	12	0.255	"	1.714	
" S7	"	63	0.140	"	4.939	
" S8	"	6	0.910	"	3.058	/
合計				102.204kg		







名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	1種 H=2700	図 番	160226-45-0	区 分	製品図			





材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D16	6	2.450	1.560	22.932	/
" S2	"	6	1.860	"	17.410	—
" S3	D10	12	4.495	0.560	30.206	L
" S4	"	24	1.830	"	24.595	—
" S5	"	6	0.195	"	0.655	—
" S6	"	12	0.255	"	1.714	
" S7	"	66	0.140	"	5.174	
" S8	"	6	0.910	"	3.058	/
合計				105.744kg		







名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	1種 H=2800	図 番	160226-47-0	区 分	製品図			WAKOH






材料表

名称	径	本数	長さ	m当たり重量	重量	摘要
鉄筋 S1	D19	6	2.450	2.250	33.075	/
" S2	"	6	1.910	"	25.785	—
" S3	D10	12	4.645	0.560	31.214	L
" S4	"	25	1.830	"	25.620	—
" S5	"	6	0.195	"	0.655	—
" S6	"	12	0.255	"	1.714	
" S7	"	66	0.140	"	5.174	
" S8	"	6	0.910	"	3.058	/
合計				126.295kg		

名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20
規 格	1種 H=2800	図 番	160226-48-0	区 分	配筋図		







名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20
規 格	1種 H=2900	図 番	160226-49-0	区 分	製品図		






材料表

名称	径	本数	長さ	m当たり重量	重量	摘要
鉄筋 S1	D19	6	2.675	2.250	36.113	/
" S2	"	6	1.960	"	26.460	—
" S3	D10	12	4.795	0.560	32.222	□
" S4	"	26	1.830	"	26.645	——
" S5	"	6	0.225	"	0.756	—
" S6	"	12	0.265	"	1.781	
" S7	"	66	0.170	"	6.283	
" S8	"	6	0.930	"	3.125	/
合計				133.385kg		

名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	1種 H=2900	図 番	160226-50-0	区 分	配筋図			






名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	1種 H=3000	図 番	160226-51-0	区 分	製品図			






材料表

名称	径	本数	長さ	m当たり重量	重量	摘要
鉄筋 S1	D19	6	2.675	2.250	36.113	/
" S2	"	6	2.010	"	27.135	—
" S3	D10	12	4.945	0.560	33.230	□
" S4	"	26	1.830	"	26.645	——
" S5	"	6	0.210	"	0.706	—
" S6	"	12	0.265	"	1.781	
" S7	"	66	0.170	"	6.283	
" S8	"	6	0.930	"	3.125	/
合計				135.017kg		

名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	1種 H=3000	図 番	160226-52-0	区 分	配筋図			WAKOH







名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	2種 H=600	図 番	160226-53-0	区 分	製品図			WAKOH






材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D 6	8	1.220	0.249	2.430	U
" S2	"	7	1.840	"	3.207	/
" S3	"	8	0.130	"	0.259	/
合計	5.896kg					





名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	2種 H=700	図 番	160226-55-0	区 分	製品図			




材料表



名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D10	8	1.370	0.560	6.138	U
" S2	D 6	7	1.840	0.249	3.207	/
" S3	"	8	0.130	"	0.259	/
合計	9.604kg					



A-A断面図





名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	2種 H=800	図 番	160226-57-0	区 分	製品図			




材料表




名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D13	3	0.740	0.995	2.209	/
" S2	"	3	0.810	"	2.418	—
" S3	D 6	9	1.545	0.249	3.462	L
" S4	"	10	1.840	"	4.582	—
" S5	"	3	0.035	"	0.026	—
" S6	"	6	0.060	"	0.090	—
" S7	"	3	0.260	"	0.194	/
合計				12.981kg		



A-A断面図







名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	2種 H=900	図 番	160226-59-0	区 分	製品図			WAKOH





材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D13	3	0.655	0.995	1.955	/
" S2	"	3	0.855	"	2.552	-
" S3	D 6	9	1.695	0.249	3.798	L
" S4	"	10	1.840	"	4.582	-
" S5	"	3	0.045	"	0.034	-
" S6	"	6	0.060	"	0.090	-
" S7	"	3	0.260	"	0.194	/
合計				13.205kg		







名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	2種 H=1000	図 番	160226-61-0	区 分	製品図			






材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D13	3	0.590	0.995	1.761	/
" S2	"	3	0.905	"	2.701	—
" S3	D 6	9	1.845	0.249	4.135	U
" S4	"	10	1.840	"	4.582	—
" S5	"	3	0.045	"	0.034	—
" S6	"	6	0.060	"	0.090	—
" S7	"	3	0.260	"	0.194	/
合計					13.496kg	






名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	2種 H=1100	図 番	160226-63-0	区 分	製品図			




材料表




名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D16	3	0.920	1.560	4.306	/
" S2	"	3	1.005	"	4.703	—
" S3	D 6	9	2.045	0.249	4.583	L
" S4	"	12	1.840	"	5.498	—
" S5	"	3	0.050	"	0.037	—
" S6	"	6	0.090	"	0.134	—
" S7	"	3	0.375	"	0.280	/
合計				19.542kg		



A-A断面図






名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	2種 H=1200	図 番	160226-65-0	区 分	製品図			WAKOH




材料表




名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D16	3	0.865	1.560	4.048	/
" S2	"	3	1.055	"	4.937	—
" S3	D 6	9	2.195	0.249	4.919	L
" S4	"	12	1.840	"	5.498	—
" S5	"	3	0.070	"	0.052	—
" S6	"	6	0.090	"	0.134	—
" S7	"	3	0.375	"	0.280	/
合計				19.869kg		



A-A断面図







名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	2種 H=1300	図 番	160226-67-0	区 分	製品図			WAKOH






材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D13	6	1.245	0.995	7.433	/
" S2	"	6	1.160	"	6.925	—
" S3	D 6	12	2.395	0.249	7.156	L
" S4	"	13	1.840	"	5.956	—
" S5	"	6	0.075	"	0.112	—
" S6	"	12	0.110	"	0.329	—
" S7	"	33	0.100	"	0.822	—
" S8	"	6	0.420	"	0.627	/
合計				29.360kg		







名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	2種 H=1400	図 番	160226-69-0	区 分	製品図			WAKOH






材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D13	6	1.145	0.995	6.836	/
" S2	"	6	1.210	"	7.224	—
" S3	D 6	12	2.245	0.249	6.708	□
" S4	"	14	1.840	"	6.414	—
" S5	"	6	0.075	"	0.112	—
" S6	"	12	0.110	"	0.329	—
" S7	"	33	0.100	"	0.822	—
" S8	"	6	0.420	"	0.627	/
合計				29.072kg		



名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	2種 H=1500	図 番	160226-71-0	区 分	製品図			WAKOH



材料表





名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D13	6	1.225	0.995	7.313	/
" S2	"	6	1.260	"	7.522	—
" S3	D 6	12	2.695	0.249	8.053	□
" S4	"	17	1.840	"	7.789	—
" S5	"	6	0.075	"	0.112	—
" S6	"	12	0.110	"	0.329	—
" S7	"	30	0.100	"	0.747	—
" S8	"	6	0.420	"	0.627	/
合計				32.492kg		

名 称	CHウォール	縮 尺	1/20	図面	A3	作成日	12/12/20
規 格	2種 H=1500	図 番	160226-72-0	区 分	配筋図		





和光産業株式会社

WAKOH







名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	2種 H=1600	図 番	160226-73-0	区 分	製品図			






材料表

名称	径	本数	長さ	m当たり重量	重量	摘要
鉄筋 S1	D13	6	1.545	0.995	9.224	＼
" S2	"	6	1.360	"	8.119	—
" S3	D 6	12	2.895	0.249	8.650	L
" S4	"	17	1.840	"	7.789	—
" S5	"	6	0.090	"	0.134	—
" S6	"	12	0.140	"	0.418	
" S7	"	42	0.110	"	1.150	
" S8	"	6	0.535	"	0.799	／
合計				36.284kg		

名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	 和光産業株式会社
規 格	2種 H=1600	図 番	160226-74-0		区 分	配筋図		







名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	2種 H=1700	図 番	160226-75-0	区 分	製品図			





材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D16	6	1.645	1.560	15.397	/
" S2	"	6	1.410	"	13.198	—
" S3	D 6	12	3.045	0.249	9.098	□
" S4	"	18	1.840	"	8.247	——
" S5	"	6	0.090	"	0.134	—
" S6	"	12	0.140	"	0.418	
" S7	"	42	0.110	"	1.150	
" S8	"	6	0.535	"	0.799	/
合計				48.443kg		







名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	2種 H=1800	図 番	160226-77-0	区 分	製品図			





材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D16	6	1.555	1.560	14.555	/
" S2	"	6	1.460	"	13.666	—
" S3	D 6	12	3.195	0.249	9.547	□
" S4	"	21	1.840	"	9.621	——
" S5	"	6	0.085	"	0.127	—
" S6	"	12	0.140	"	0.418	
" S7	"	36	0.110	"	0.986	
" S8	"	6	0.535	"	0.799	/
合計				49.719kg		




名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	2種 H=1900	図 番	160226-79-0	区 分	製品図			





材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D16	6	1.720	1.560	16.099	/
" S2	"	6	1.560	"	14.602	—
" S3	D 6	12	3.395	0.249	10.144	□
" S4	"	19	1.840	"	8.705	—
" S5	"	6	0.100	"	0.149	—
" S6	"	12	0.170	"	0.508	
" S7	"	42	0.110	"	1.150	
" S8	"	6	0.620	"	0.926	/
合計				52.284kg		







名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	2種 H=2000	図 番	160226-81-0	区 分	製品図			









材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D16	6	1.770	1.560	16.567	/
" S2	"	6	1.610	"	15.070	—
" S3	D 6	12	3.545	0.249	10.592	□
" S4	"	19	1.840	"	8.705	—
" S5	"	6	0.095	"	0.142	—
" S6	"	12	0.170	"	0.508	
" S7	"	42	0.110	"	1.150	
" S8	"	6	0.620	"	0.926	/
合計				53.661kg		



名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	2種 H=2100	図 番	160226-83-0	区 分	製品図			WAKOH






材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D16	6	2.070	1.560	19.375	/
" S2	"	6	1.760	"	16.474	—
" S3	D 6	12	3.795	0.249	11.339	L
" S4	"	25	1.840	"	11.454	—
" S5	"	6	0.145	"	0.217	—
" S6	"	12	0.230	"	0.687	
" S7	"	54	0.120	"	1.614	
" S8	"	6	0.825	"	1.233	/
合計				62.392kg		




名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20
規 格	2種 H=2100	図 番	160226-84-0	区 分	配筋図		



和光産業株式会社



名 称	CHウォール	縮 尺	1 / 30	図面	A3	作成日	12 / 12 / 20
規 格	2 種 H=2200	図 番	160226-85-0	区 分	製 品 図		







材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D16	6	2.170	1.560	20.311	/
" S2	"	6	1.760	"	16.474	—
" S3	D 6	12	3.895	0.249	11.638	L
" S4	"	26	1.840	"	11.912	—
" S5	"	6	0.150	"	0.224	—
" S6	"	12	0.230	"	0.687	
" S7	"	54	0.120	"	1.614	
" S8	"	6	0.825	"	1.233	/
合計				64.093kg		




名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20
規 格	2種 H=2200	図 番	160226-86-0	区 分	配筋図		



和光産業株式会社







名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	2種 H=2300	図 番	160226-87-0	区 分	製品図			










材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D16	6	2.255	1.560	21.107	/
" S2	"	6	1.810	"	16.942	—
" S3	D 6	12	4.045	0.249	12.086	L
" S4	"	27	1.840	"	12.370	—
" S5	"	6	0.145	"	0.217	—
" S6	"	12	0.230	"	0.687	
" S7	"	54	0.120	"	1.614	
" S8	"	6	0.825	"	1.233	/
合計				66.255kg		







名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	2種 H=2400	図 番	160226-89-0	区 分	製品図			WAKOH






材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D19	6	2.185	2.250	29.498	/
" S2	"	6	1.910	"	25.785	—
" S3	D 6	12	4.245	0.249	12.684	L
" S4	"	28	1.840	"	12.828	—
" S5	"	6	0.135	"	0.202	—
" S6	"	12	0.230	"	0.687	
" S7	"	54	0.120	"	1.614	
" S8	"	6	0.825	"	1.233	/
合計				84.530kg		

名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	2種 H=2400	図 番	160226-90-0	区 分	配筋図			WAKOH







名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社 WAKOH
規 格	2種 H=2500	図 番	160226-91-0	区 分	製品図			






材料表

名称	径	本数	長さ	m当たり重量	重量	摘要
鉄筋 S1	D19	6	2.185	2.250	29.498	＼
" S2	"	6	1.960	"	26.460	—
" S3	D 6	12	4.395	0.249	13.132	L
" S4	"	29	1.840	"	13.287	—
" S5	"	6	0.135	"	0.202	—
" S6	"	12	0.230	"	0.687	
" S7	"	54	0.120	"	1.614	
" S8	"	6	0.825	"	1.233	＼
合計				86.111kg		

名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	 和光産業株式会社
規 格	2種 H=2500	図 番	160226-92-0	区 分	配筋図			







名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	2種 H=2600	図 番	160226-93-0	区 分	製品図			WAKOH






材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D16	6	2.450	1.560	22.932	/
" S2	"	6	2.160	"	20.218	—
" S3	D10	12	4.695	0.560	31.550	L
" S4	"	25	1.830	"	25.620	—
" S5	"	6	0.195	"	0.655	—
" S6	"	12	0.255	"	1.714	
" S7	"	69	0.140	"	5.410	
" S8	"	6	0.910	"	3.058	/
合計				111.157kg		




名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	2種 H=2700	図 番	160226-95-0	区 分	製品図			WAKOH



材料表



名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D16	6	2.450	1.560	22.932	/
" S2	"	6	2.160	"	20.218	—
" S3	D10	12	4.795	0.560	32.222	L
" S4	"	25	1.830	"	25.620	—
" S5	"	6	0.195	"	0.655	—
" S6	"	12	0.255	"	1.714	
" S7	"	69	0.140	"	5.410	
" S8	"	6	0.910	"	3.058	/
合計				111.829kg		



名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20
規 格	2種 H=2800	図 番	160226-97-0	区 分	製品図		






和光産業株式会社





材料表

名称	径	本数	長さ	m当り重量	重量	摘要
鉄筋 S1	D19	6	2.450	2.250	33.075	/
" S2	"	6	2.160	"	29.160	—
" S3	D10	12	4.895	0.560	32.894	□
" S4	"	26	1.830	"	26.645	—
" S5	"	6	0.195	"	0.655	—
" S6	"	12	0.255	"	1.714	
" S7	"	69	0.140	"	5.410	
" S8	"	6	0.910	"	3.058	/
合計				132.611kg		







名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	2種 H=2900	図 番	160226-99-0	区 分	製品図			





材料表

名称	径	本数	長さ	m当たり重量	重量	摘要
鉄筋 S1	D19	6	2.675	2.250	36.113	/
" S2	"	6	2.310	"	31.185	—
" S3	D10	12	5.145	0.560	34.574	□
" S4	"	28	1.830	"	28.694	—
" S5	"	6	0.225	"	0.756	—
" S6	"	12	0.265	"	1.781	
" S7	"	72	0.170	"	6.854	
" S8	"	6	0.930	"	3.125	/
合計				143.082kg		



名 称	CHウォール	縮 尺	1/30	図面	A3	作成日	12/12/20	和光産業株式会社
規 格	2種 H=3000	図 番	160226-101-0	区 分	製品図			WAKOH



材料表

名称	径	本数	長さ	m当たり重量	重量	摘要
鉄筋 S1	D19	6	2.675	2.250	36.113	/
" S2	"	6	2.310	"	31.185	—
" S3	D10	12	5.245	0.560	35.246	□
" S4	"	28	1.830	"	28.694	——
" S5	"	6	0.210	"	0.706	—
" S6	"	12	0.265	"	1.781	
" S7	"	72	0.170	"	6.854	
" S8	"	6	0.930	"	3.125	/
合計				143.704kg		

名 称	CHウォール	縮 尺	1 / 30	図面	A3	作成日	12 / 12 / 20
規 格	2種 H=3000	図 番	160226-102-0	区 分	配筋図		



和光産業株式会社